

IN THE CLAIMS:

Please substitute the following claims for the same-numbered claims in the application:

1. (Previously Presented) A method for simplifying web contents, said method comprising:
requesting access to a target page, said target page comprising a web page;
acquiring said target page;
acquiring adjoining pages that adjoin said target page in accordance with a Document Object Model comprising image nodes and text nodes;
performing a difference operation to delete objects that are common among said target page and said adjoining pages from said target page to generate a simplified page, wherein said difference operation comprises calculating a significance of the objects included in said target page, wherein if said significance exceeds a predetermined threshold, said objects are not deleted even if said objects are common with the objects of said adjoining pages; and
audibly outputting said simplified page.
2. (Previously Presented) The method according to claim 1, wherein said acquiring of adjoining pages further comprises:
determining pages of URLs whose directory is common with a URL of said target page or a URL of links included in said target page;
determining pages of URLs whose parent directory is common with the URL of said target page or the URL of the links included in said target page; or
determining a top page of each directory under a root directory that includes the URL of said target page.

3. (Previously Presented) The method according to claim 1, wherein said acquiring of adjoining pages further comprises:
- determining a past page of said target page;
 - determining pages of links included in said past page; or
 - determining past pages of said adjoining pages.
4. (Previously Presented) The method according to claim 1, further comprising prioritizing URLs of said adjoining pages after acquiring said adjoining pages.
5. (Previously Presented) The method according to claim 4, wherein said prioritizing is determined based on either or both of an edit distance between a URL of said target page and URLs of said adjoining pages, or a relevance among URLs based on a number of co-occurrences or a number of cross-references between said target page and said adjoining pages.
6. (Previously Presented) The method according to claim 1, wherein said performing uses DP matching to determine whether said objects are common.
7. (Canceled).
8. (Previously Presented) The method according to claim 1, wherein said calculating of the significance is represented by a sum of weighted feature values; wherein said feature values comprising a character size of said objects, a numerical value assigned to fonts and other

character attributes, a numerical value to identify whether said objects are a banner, a displacement value of said objects from a center of a screen, a number of keywords included in said objects, a numerical value assigned to information indicating whether said objects are added or updated, a ratio of updated characters of said objects, a numerical value assigned to information indicating whether said objects are one character, and a numerical value assigned to a tag class of said objects.

9. (Previously Presented) The method according to claim 1, further comprising, after said performing, deleting an object which has a significance less than said predetermined threshold included in simplified pages, or a table element or list element whose content is empty.

10. (Previously Presented) The method according to claim 1, further comprising, after said performing; a post-processing process comprising restoration of a list title, restoration of information at the top of or on a side of table, movement of a form to a rearward of the page, or reference of annotation information.

11. (Previously Presented) The method according to claim 1, further comprising:
receiving a request from a user terminal;
in response to said request, selecting a simplified page which has the least amount of information among said simplified pages; and
sending the selected simplified page to said user terminal.

12. (Previously Presented) The method according to claim 11, further comprising providing

any of a computer system in which a voice browser operates or an information terminal that has a display with a small screen as said user terminal.

13. (Previously Presented) The method according to claim 11, wherein said user terminal or a computer system connecting to said user terminal provides a voice recognition function and voice synthesis function; the method further comprising:

inputting said request by voice; and

outputting said simplified page by voice.

14. (Currently Amended) A computerized system for simplifying web contents[[.]] comprising a server computer and a user computer arranged in a network, said server computer comprising:

a first server element for acquiring a target page;

a second server element for generating URLs of adjoining pages which are to be compared with said target page;

a third server element for acquiring said adjoining pages in accordance with a Document Object Model comprising image nodes and text nodes;

a fourth server element for comparing each object included in said target page and said adjoining pages;

a fifth server element for determining commonality of said objects and deleting common objects from said target page to generate a simplified page;

a computer-implemented module for calculating a significance of the objects included in said target page;

a computer-implemented module for not deleting said objects if said significance exceeds a first threshold, even if said objects are common with the objects of said adjoining pages; and
a computer-implemented module for deleting said object if said significance is less than a second threshold, or a content of said objects is an empty table element or list element; and
wherein said user computer comprising a user browser for audibly outputting said simplified page.

15. (Currently Amended) The system according to claim 14, wherein said second server element for generating URLs comprising:

a first computer-implemented module for generating URLs whose directory is common with a URL of said target page or a URL of links included in said target page;

a second computer-implemented module for generating URLs whose parent directory is common with the URL of said target page or the URL of the links included in said target page;
or

a directory module for generating a directory under a root directory that includes the URL of said target page.

16. (Currently Amended) The system according to claim 14, wherein said second server element for generating URLs comprising:

a computer-implemented module for generating a URL of a past page of said target page;

a computer-implemented module for generating URLs of links included in said past page;

or

a computer-implemented module for generating URLs of past pages of said adjoining

pages.

17. (Previously Presented) The system according to claim 14, further comprising a sixth server element for prioritizing URLs of said adjoining pages, wherein said prioritizing is determined based on either or both of an edit distance between a URL of said target page and URLs of said adjoining pages, or a relevance between said target page and said adjoining pages.

18. (Currently Amended) The system according to claim 14, wherein said fifth server element comprises a computer-implemented module for calculating DP matching.

19. (Canceled).

20. (Previously Presented) The system according to claim 14, further comprising post-processing means for restoration of a list title, restoration of information at a top of or on a side of table, movement of a form to a rearward of the page, or reference of annotation information.

21. (Currently Amended) The system according to claim 14, wherein said server computer further comprising:

a receiving device for receiving a request from said user terminal;

a selection device for selecting a simplified page which has the least amount of information among said simplified pages; and

a transmitting device for sending the selected simplified page to said user terminal.

22. (Previously Presented) The system according to claim 21, wherein said user terminal comprises any of a computer system in which a voice browser operates or an information terminal which has a display with a small screen.

23. (Currently Amended) The system according to claim 21, wherein any of said user terminal or a computer system connecting to said user terminal provides a voice recognition function and voice synthesis function; the server computer of said system further comprising:
a seventh server element for inputting said request by voice; and
an eighth server element for outputting said simplified page by voice.

24. (Currently Amended) ~~A computer-readable recording medium embodying a program executable by a computer, the program comprising:~~ A program storage device readable by machine, tangibly embodying a program of instructions, which when executed by a machine, perform a method for simplifying web contents, said method comprising:
~~a function for~~ requesting access to a target page, said target page comprising a web page;
~~a function for~~ acquiring a target page;
~~a function for~~ acquiring adjoining pages that adjoin said target page in accordance with a Document Object Model comprising image nodes and text nodes;
~~a function for~~ performing a difference operation for deleting objects that are common among said target page and said adjoining pages from said target page, wherein said difference operation comprises calculating a significance of the objects included in said target page, wherein if said significance exceeds a predetermined threshold, said objects are not deleted even if said objects are common with the objects of said adjoining pages;

~~a function for generating a simplified page; and~~

~~a function for audibly outputting said simplified page.~~

25. (Previously Presented) A method for simplifying web contents, said method comprising:
- requesting access to a target page, said target page comprising a web page;
 - acquiring said target page;
 - acquiring adjoining pages that adjoin said target page in accordance with a Document Object Model comprising image nodes and text nodes, wherein said acquiring of adjoining pages further comprises:

- determining pages of URLs whose directory is common with a URL of said target page or a URL of links included in said target page;

- determining pages of URLs whose parent directory is common with the URL of said target page or the URL of the links included in said target page; or

- determining a top page of each directory under a root directory that includes the URL of said target page;

- prioritizing URLs of said adjoining pages, wherein said prioritizing is determined based on either or both of an edit distance between a URL of said target page and URLs of said adjoining pages, or a relevance among URLs based on a number of co-occurrences or a number of cross-references between said target page and said adjoining pages;

- performing a difference operation to delete objects that are common among said target page and said adjoining pages from said target page to generate a simplified page, wherein said performing uses DP matching to determine whether said objects are common, wherein said difference operation comprises calculating a significance of the objects included in said target

page, wherein if said significance exceeds a predetermined threshold, said objects are not deleted even if said objects are common with the objects of said adjoining pages, wherein said calculating of the significance is represented by a sum of weighted feature values; wherein said feature values comprising a character size of said objects, a numerical value assigned to fonts and other character attributes, a numerical value to identify whether said objects are a banner, a displacement value of said objects from a center of a screen, a number of keywords included in said objects, a numerical value assigned to information indicating whether said objects are added or updated, a ratio of updated characters of said objects, a numerical value assigned to information indicating whether said objects are one character, and a numerical value assigned to a tag class of said objects;

deleting an object which has a significance less than said predetermined threshold included in simplified pages, or a table element or list element whose content is empty;

performing a post-processing process comprising restoration of a list title, restoration of information at the top of or on a side of table, movement of a form to a rearward of the page, or reference of annotation information; and

audibly outputting said simplified page.

26. (Previously Presented) The method according to claim 25, wherein said acquiring of adjoining pages further comprises:

determining a past page of said target page;

determining pages of links included in said past page; or

determining past pages of said adjoining pages.

27. (Previously Presented) The method according to claim 25, further comprising:
- receiving a request from a user terminal;
 - in response to said request, selecting a simplified page which has the least amount of information among said simplified pages;
 - sending the selected simplified page to said user terminal; and
 - providing any of a computer system in which a voice browser operates or an information terminal that has a display with a small screen as said user terminal,
- wherein said user terminal or a computer system connecting to said user terminal provides a voice recognition function and voice synthesis function; the method further comprising:
- inputting said request by voice; and
 - outputting said simplified page by voice.